

WORKZONE SAFETY SERIES



WORK
ZONE


SPEED
LIMIT
35

PHOTO
ENFORCED

75 FILE



Item No: B01X



Key Feature

The material: NEW PURE HIGH QUALITY PP MATERIAL, strong and could stand high and low temperature.
 Our design: 25 pcs on one strong rubber mat, much stronger and could stand 80 tons truck.
 Our reflector: 3M Supper high grade high adhesive reflective film.

Specification

Color available: Black or Yellow.
 Reflectivity: Hi intensity grade reflective film
 Material: High quality New PP material
 Main Section:
 Item No. Length Width Height Weight Diameter (Rolled up)
 B01-1 3 meters 230mm 50mm 15kg 50cm

Package:

1 pc in one bag in one Carton
 Carton Size: 50cm X50cm X 25cm
 G.W.:15kgs



TUV Pressure Testing Reports:

Test result:

Sample No.	Force of deformation [kN]
1	677
2	636

Remark: The deformation occurred at around 650kN, continued the compress to more than 1000kN. During the test, the yellow part was deformative and extended, no crack happened.

Photos after test

**68 Tons
No Crack**

Improved Models:



LED type



Solar type

Why Benedrive's products is your better choice?

Benedrive's advantages




Perfect Anti-slip rubber matt, which can be used for skiing park



New Pure PP Material



All sections in one unit strong rubber matt, no easy to broken



3M HI(High Intensity, Class 2) reflective films

Other poor quality products



No Anti-slip recycle rubber base



Bad material, Recycle or waste material



Bad Design, connection pins can not stand small car wheels



No reflective films

Item No: B02X



This sequential system is used to warn the vehicles about lane changes or deviations. It is a serie of lights, mounted on proper supports sequentially indicating the deviation and which direction to follow.

APPLICATIONS:

- Dock light,
- Deck light
- Pathway light
- Work zone safety warning lamps
- Car emergency marker
- Road facility- Chevron signs
- Road facility - Road markers
- Architectural light



Item No.: B021

Wired power , Wired controlled sequential or synchronized guide lamps

The light is equipped with controller the synchrony/alternate signal.

- 5 pcs lights per set / 10 pcs lights per set optional
- LED lights type Basic Dia. 200 LED
- Each light has 120 pcs LEDs
- LED: Dia. 5mm Supper bright LED, use life, 15 years
- LED color: Yellow
- Cable length: 5 meters each or customized
- Power supply: 12V DC
- Light luminous intensity: 10000CD
- Working temperature range: -40 C to 75 C
- With fixing system and Anti-theft system
- 24 hours operation or automatic night operation
- IP degree: IP67

Item No.: B022

Wired power, Wireless controlled Sequential or Synchro guide lamps RADIO control or GPS control
The light is equipped with GPS control / Radio control the synchrony/alternate signal.

- 5 pcs lights per set / 10 pcs lights per set optional
- LED lights type Basic Dia. 200 LED
- Each light has 120 pcs LEDs
- LED: Dia. 5mm Supper bright LED, use life, 15 years
- LED color: Yellow
- Cable length: 5 meters each or customized
- Power supply: 12V DC
- Light luminous intensity: 10000CD
- Working temperature range: -40 C to 75 C
- With fixing system and Anti-theft system
- 24 hours operation or automatic night operation
- IP degree: IP 65



Item No.: B0231

Solar power wireless control Lamps Sequential or Synchro guide lamps ,Radio control or GPS control
 Solar power include
 5 pcs lights per set / 10 pcs lights per set optional
 LED lights type Basic Dia. 200 LED
 Each light has 37 pcs LEDs
 -LED: Dia. 5mm Supper bright LED, use life, 15 years
 Power supply: 12V DC
 Light luminous intensity: 10000CD
 Working temperature range: -40 C to 75 C
 With fixing system and Anti-theft system
 24 hours operation or automatic night operation
 IP degree: IP67



Item No.: B0232

Solar power wireless control Lamps Sequential or Synchro guide lamps
 ,Radio control or GPS control
 The light is equipped with GPS control the synchrony/alternate signal.
 5 pcs lights per set
 Size: Dia. 180MM
 Control distance: no limit
 One day recharge could works over 150 hours
 Light luminous intensity: 5000CD
 Blinking frequency: 60/MIN
 Working temperature range: -40 C to 55 C
 With fixing system and Anti-theft system
 24 hours operation or automatic night operation
 IP degree: IP67



B0241

Warning panel for sequential system

Size: 29*122*40CM
 With 2 sides reflective film
 Weight: 3kgs



Item no.: B0242

Rubber base fro sequential system

Size: 80*60*12CM
 Weight: 28kgs



Item No: TABXX

Model: TAB01X

Directional LED arrows with

1. Dia. 200mm lights (arrow size: 120 X 120 cm)
2. Dia. 100mm lights (arrow size: 90 X 90 cm)
3. Dia. 50mm lights (arrow size: 60 X 60 cm)

With 13 lights

Available models with electrical motorization

Light approved to the highest classes of EN12352

12V standard input voltage- 24V on request




3 Models photoes:



Functions: 3 types:




Dia.200mm light Dia.100mm light Dia.50mm
Lens sell seperately



Dia.100mm lights
Size:90cm X 90cm

More Models available:



TAB02X

Directional Arrow with control head

Right / Left / Flasher

Length 130cm

With external controller

5 pcs Dia 200mm LED lights

12V or 24V optional





Solar Portable Workzone Safety Sign
ITEM NO.:TAB07X

Key Feature:

1. High Visibility
2. 1000m viewing distance at full sun light
3. Warranty – 2 years

Size:

40cm X 120cm
6cm X 120cm
or customized
With solar panel, batteries, stands
With high intensity reflective films
LED with lens , dia. 20MM

TRAFFIC ARROW BOARDS

TAB04X

TAB041, LED traffic arrows Boards 15 lamps

TAB042, LED traffic arrows Boards 25 lamps

Key Feature:


1. High Visibility
2. 1000m viewing distance at full sun light
3. Warranty – 2 years
4. Auto Dimming

Specifications:


Size: 1500cm X 760cm or customized
Material: Aluminum board
High output amber light 15 pcs, each 52 pcs LEDs
Power supply: 12V DC (24V upon request)
Small switch panel
Single Switch Panel
Double Switch Panel
Sign board case constructed from 2mm Aluminum, reducing weight and providing long life
Easy wiring, all boards have a 'Fly Lead' cable Plugs
Actuator for tilt assembly – Just plug in
Control Cable from Sign to Switch Panel – Just plug in
Power Lead, connect to power supply then, just plug in
With car power adapter (12V)

How To Order:

- A type: standard type with boards and lamps
B type: With actuator lifting bracket
C type: With trailer



Flashing Arrow Left Flashing Double Arrows Hazard / Caution (Alternates) Flashing Arrow Right



Sequential Modes			Flashing Modes	
Sequential Double arrow, left / right	First pulse	Second pulse	Corner caution	Left / Right
Sequential arrow, left / right *	First pulse	Second pulse	Caution bar	Double arrow
Sequential Diagonal arrow, left / right *	First pulse	Second pulse		
Alternating diamonds *	First pulse	Second pulse		



Lens, Sell separately



Controller, Sell separately



B type: Bracket



C type: Trailer

Item No: PWS021 Portable LED Warning Signals



Key Feature:

1. High Visibility > 1000m viewing distance
2. Easy to use: Unfolded in seconds
3. Portable design, light In weight and volume

Specification:

Size: Customized sign size and painting available
 Square: 80cm X 80cm, 100cm X 100cm
 Triangle: 70cm 90cm (border)
 Round: dia.80cm, 100cm
 Octagonal: 80cm X 80cm, 100cm X 100cm

Material:

Sign box: Aluminum or Iron board
 High visible reflective films
 N.W.: 4.5kgs (add weight parts to 6kgs available on request)
 Power supply: 4.5V DC (3 pcs AA batteries)
 Work time: over 100 hours
 Work model: Flashing left <-> right



Portable LED Arrow Matt


Model: TAB051

Key Feature:

High Visibility
 Instant Traffic Control
 Battery operated
 Three AA batteries for 40 hours of operation
 500m viewing distance at full sun light

Products Specifications:

Size: 40cm X 60cm
 Material: Aluminum board
 High output red or amber LEDs
 With 3M HI reflective film, high intensity
 With stand support
 With Reflector
 Power supply: 3 pcs AA batteries, 4.5V DC



Foldable Police Check Point Warning Sign PWS06

Item No.:RWWL XX Flashing Road Work Lights



RWWL011



RWWL012



RWWL013



RWWL014



RWWL018



RWWL015



RWWL016



RWWL017



RWWL021



RWWL022



RWWL023



RWWL025



RWWL026



RWWL024



RWWL027



RWWL031



RWWL032



RWWL033

Item No.: RB3X Waterfilledable Barriers



Item No.: RB31
 Length: 560mm
 Topw Width: 130mm
 Bottom Width: 400mm
 Height: 560mm
 Net Weight: 3 kgs



Item No.: RB38
 Size:360*360*800mm
 Net Weight: 1.8 kgs



Item No.: RB32
 Length: 1300mm
 Topw Width: 180mm
 Bottom Width: 370mm
 Height: 650mm
 Net Weight: 8.5 kgs
 Water Capacity: 200kgs



Item No.: RB35
 Length: 1200mm
 Top Width: 80mm
 Bottom Width: 260mm
 Height: 600mm
 Net Weight: 6 kgs
 Water Capacity: 60kgs



Item No.: RB33
 Length: 1650mm
 Topw Width: 150mm
 Bottom Width: 410mm
 Height: 650mm
 Net Weight: 9 kgs
 Water Capacity: 300kgs

Item No.: RB34
 Length: 1500mm
 Topw Width: 250mm
 Bottom Width: 460mm
 Height: 800mm
 Net Weight: 13 kgs
 Water Capacity: 250kgs


Item No.: RB36
 Length: 1500mm
 Topw Width: 150mm
 Bottom Width: 430mm
 Height: 1200mm
 Net Weight: 14 kgs
 Water Capacity: 200kgs



Item No.: RB37
 Length: 2000mm
 Topw Width: 145mm
 Bottom Width: 400mm
 Height: 800mm
 Net Weight: 17kgs
 Water Capacity: 400kgs




Item No.: RB02X Iron Road Barriers




Item No.:RB21 **Rubber Base**

Height	95mm
Weight	9.8kg
Diameter	390mm



Item No.:RB22 **Rubber Base**

Height	117mm
Weight	25.3kg
Length	600mm
Width	205m



Item No.:RB23 **Rubber Base**

Height	100mm
Weight	6.2kg
Length	630mm
Width	140m



Item No.:RB24 **Base**

Height	265mm
Weight	1kg/对
Length	390mm



Item No.: RB12
Iron road barrier

Height	1040mm
Weight	7.58kg
Width	1900mm

Item No.: RB11
Iron road barrier

Height	1000mm
Weight	7.54kg
Width	2200mm

Features:


1. made by of good metal
2. available hot dipped galvanised or powder coated models
3. sizes can be customized
4. rubber or metal feet can be available
5. orange
、 silvery、 white、 yellow colors can be available

Features:

1. made by of good metal
2. available hot dipped galvanised or powder coated models
3. sizes can be customized
4. rubber or metal feet can be available
5. orange
、 silvery、 white、 yellow colors can be available

Item No.: RB13
Iron road barrier

Height	2000mm
Weight	8.74kg
Width	1000mm



Plastic Safety Barricades




Length	1950mm
Height	1000mm
Width	55mm
Total Weight	11.5kg
Board Weight	6.5kg



PLASTIC 2M BARRIER
2m barrier
including 2 bases
With reflective red/white films

Model	WL-004
Length	1180mm
Height	1100mm
Width	48mm
Base Weight	6.5kg
Board Weight	7kg



Model	WL-003
Length	2200mm
Height	1060mm
Width	45mm
Total Weight	22.5kg
Board Weight	9.5kg




Model	WL-005
Length	1180mm
Height	1100mm
Width	45mm
Board Weight	6.5kg

Length	2280mm
Height	1200mm
Width	65mm
Total Weight	15kg
Board Weight	11kg



Expendable barricade



Model No.: 2204

Name: Plastic Expandable Barricade
 Size: 100X200cm
 Net Weight: 3 kgs

Advantages

- Quick and easy setup/ Take down/ Storage and Locks in to position at desired length
- The plastic slats and legs are durable and lightweight
- Water-filled legs to add weight for extra stability
- Appropriate for indoor and outdoor purposes
- Expand to 2.5 meters and retract 34 cm



- High-impact and temperature resistant
- Quick and easy setup / take down / storage
- Locks into position at desired length
- Water-fillable legs to add weight for extra stability
- Expand to 3.5m and retract 42cm

Model: 2206

Name: Plastic expandable barricade
 Size: 100x350mm
 Net Weight: 5.0 kgs

Expendable Barricade




Material: PVC	Expandable barricade
Height: 940	Material: Steel with painting
Length: 34-250cm	Height: 95
Weight: 2.2kgs	Length: 35-350cm
	Weight: 11kgs





A frame floor standing signs


Plastic Traffic Barricade



- Barricade with frame and varied-length bar with engineer grade reflective sheeting
- Accepts a standard barricade light on each A-Frame
- Stackable for storage and transportation

Model	JC2205
Name	Plastic Traffic Barricade
Height	1000mm
Top Width	700mm
Bar Width	900x40mm
Net Weight	2x2.75kg+1.3kg(1m bar)


Plastic Traffic Barricade



Model	JC2208
Name	Plastic Traffic Barricade
Height	1100mm
Width	600mm
Net Weight	6.2kg

- One Piece Molded Folding Barricades are sturdy and easy to handle.
- Lightweight and stackable to allow ease of handling.
- This barricade is designed to yield upon impact to minimize vehicle damage.

PVC safety fence Warning barrier tapes



JC6501	Barrier Tape	Thickness: 3mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 28x28x38cm GW: 12kg NW: 11kg
JC6502	Barrier Tape	Thickness: 5mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 31x31x38cm GW: 18kg NW: 17kg
JC6503	Barrier Tape	Thickness: 3mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 28x28x38cm GW: 12kg NW: 11kg
JC6504	Barrier Tape	Thickness: 5mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 31x31x38cm GW: 18kg NW: 17kg
JC6505	Barrier Tape	Thickness: 3mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 28x28x38cm GW: 12kg NW: 11kg
JC6506	Barrier Tape	Thickness: 5mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 31x31x38cm GW: 18kg NW: 17kg
JC6507	Barrier Tape	Thickness: 3mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 28x28x38cm GW: 12kg NW: 11kg
JC6508	Barrier Tape	Thickness: 5mil Length:250m/Roll Width 70mm	20Rolls/CTN CTN Size: 31x31x38cm GW: 18kg NW: 17kg

Traffic Drum

Plastic Traffic Drum

- Traffic drum barricade is made of rugged, durable low density polyethylene
- Large carry handle on drum for easy transportation
- Bright orange color resists fading from the sun's UV ray
- Stackable for easy storage

Model	JC2201
Name	Plastic Traffic Drum
Height	1000mm
Top Width	400mm
Bottom Width	450mm
Net Weight	4.5kg
Water Capacity	100kg
Reflective band	9.5cm



Plastic Traffic Drum



- Drum designed to inhibit roll after impact to eliminate further hazards or potential damage
- Includes mounting port for optional barricade light
- Each drum includes a recycled rubber base to hold the drum in place
- Bright orange color resists fading from the sun's UV rays

Model	JC2202
Name	Plastic Traffic Drum
Height	1250mm
Top Width	520mm
Bottom Width	900mm
Net Weight	16kg
Water Capacity	9.7kg
Reflective band	9cm

Plastic Traffic Drum



- Traffic drum barricade is made of rugged, durable low density polyethylene
- Large carry handle on drum for easy transportation
- Aesthetic appearance and color, ideal functional road decoration
- Includes mounting port for optional barricade light

Available in other colors

Model	JC2207
Name	Plastic Traffic Drum
Diameter	450mm
Height	900mm
Net Weight	3.50kg


Traffic Cones



Floor Stand Warning Cones



pvc cone bar
Dia.34mm tube
Fitted length
Extensible length
Color customizable



A frame floor standing Sign

Height	570mm
Weight	5.8kg
Bottom	400x400mm
Length	610mm
Top Width	205mm
Bottom Width	295mm



Rubber Cones
Height:75cm



Traffic cone topper with retractable safety belt



Solar Powered Flashing Cone Topper With Retractable Belts

- Auto-Turn On when getting darkness
- No Maintenance , Solar powered
- 8 pcs Supper bright LEDs Flashing
- 1000 meters Visiable
- Easy Installation



Retractable barricade
Length: 2, 3, 5 meters
Color : Red/White or Yellow/ Black
Width: 5 cm
Solar model available



Retractable barricade
Length: 5 ,9 meters
Color : Red/White or Yellow/ Black
Width: 5 cm
Solar model available



Reflective Warning Bollards

T-TOP Waring Post

- Convenient T-top carry handle and molded in bolt hole for flashing light
- Improved recesses create a deeper area for reflective bands - stronger ribs provide maximum band protection
- Simple set-up by locking post into base
- Traction from rubber base prevents post from moving in rainy conditions



JC3101C

JC3101A

JC3101B

JC3101C

Warning Post



JC3102

JC3103

JC3108



- Ideal for construction work zones, airports, parking lots and job sites of all kind
- Simple set-up by locking post into base
- Traction from rubber base prevents post from moving in rainy conditions
- Looper handle can accommodate caution tape, flag line or rope

Model	Name	Height	Net Weight	Reflective band	Package
JC3101	T-TOP Waring Post	115cm	6.75kg	25cm	10Pcs/Bag
JC3102	Warning Post	115cm	6.75kg	10cm+10cm	10Pcs/Bag
JC3103	Warning Post	115cm	7.00kg	25cm	10Pcs/Bag
JC3108	Warning Post	125cm	9.5kg	14.5cm	

R

Warning Board



Model	Name	Height	Net Weight	Package
JC3301	Warning Board	1100mm	14kg+1.5kg	10PCS/Bag
JC3302	Warning Board	1100mm	11kg+2kg	10PCS/Bag
JC3305	Warning Board	1350mm	28kg+2.5kg	10PCS/Bag



JSB-001

Height	1100mm
Total Weight	13kg
Board Weight	2kg
Base Weight	11kg
Base Size	L500 x W500 x H45mm
Board Size	H1100 x W310mm



JSB-002

Height	1100mm
Total Weight	18kg
Board Weight	2kg
Base Weight	16kg
Base Size	L700 x W400 x H80mm
Board Size	H1100 x W240mm



JSB-003

Height	1100mm
Total Weight	16kg
Board Weight	1kg
Base Weight	15kg
Base Size	L670 x W400 x H80mm
Board Size	H1000 x W220mm



JSB-004

Height	800mm
Total Weight	8kg
Board Weight	1kg
Base Size	L370 x W320 x H100mm
Board Size	H725 x W200mm




JSB-004


Length	116mm
Weight	2.4kg
Width	250mm

Safety Warning Post & Signs

Warning Post






JC3109A




JC3109B

- Demountable post, adjustable height and top with holes for plastic chain
- The bases can be filled with water or sand for being stable
- Non-trip design ideal for pedestrian control, indoor or outdoor
- All-weather easy maintenance: will not rust, chip, crack, crumble, corrode or need repainting



Model	Name	Specification	Package
JC6401	Plastic Chain	Link Dia: 2mm, Chain Size(Inner Lx Outer W): 10x8mm	16Bags/CTN CTN Size: 50x32x18cm GW: 8kg NW: 7kg
JC6402	Plastic Chain	Link Dia: 3mm, Chain Size(Inner Lx Outer W): 13x12mm	16Bags/CTN CTN Size: 50x32x23cm GW: 11kg NW: 10kg
JC6403	Plastic Chain	Link Dia: 4mm, Chain Size(Inner Lx Outer W): 25x18mm	16Bags/CTN CTN Size: 50x30x27cm GW: 13.5kg NW: 12.5kg
JC6404	Plastic Chain	Link Dia: 6mm, Chain Size(Inner Lx Outer W): 27x20mm	8Bags/CTN CTN Size: 50x36x25cm GW: 13.5kg NW: 12.5kg
JC6405	Plastic Chain	Link Dia: 6mm, Chain Size(Inner Lx Outer W): 41x21mm	8Bags/CTN CTN Size: 50x36x27cm GW: 14.2kg NW: 13.2kg
JC6406	Plastic Chain	Link Dia: 6mm, Chain Size(Inner Lx Outer W): 24x22mm	8Bags/CTN CTN Size: 50x36x27cm GW: 15kg NW: 14kg
JC6407	Plastic Chain	Link Dia: 8mm, Chain Size(Inner Lx Outer W): 54x27mm	8Bags/CTN CTN Size: 50x35x38cm GW: 21.5kg NW: 20.5kg
JC6408	Plastic Chain	Link Dia: 8mm, Chain Size(Inner Lx Outer W): 50x26mm	8Bags/CTN CTN Size: 50x35x42cm GW: 27kg NW: 26kg
JC6409	Plastic Chain	Link Dia: 8mm, Chain Size(Inner Lx Outer W): 38x25mm	8Bags/CTN CTN Size: 50x35x38cm GW: 29kg NW: 28kg
JC6410	Plastic Chain	Link Dia: 8mm, Chain Size(Inner Lx Outer W): 34x24mm	8Bags/CTN CTN Size: 50x35x42cm GW: 29kg NW: 28kg
JC6411	Plastic Chain	Link Dia: 10mm, Chain Size(Inner Lx Outer W): 56x40mm	6Bags/CTN CTN Size: 50x36x32cm GW: 30kg NW: 29kg
JC6412	Plastic Chain	Link Dia: 12mm, Chain Size(Inner Lx Outer W): 66x42mm	4Bags/CTN CTN Size: 50x36x45cm GW: 31kg NW: 30kg



Reflective umbrella Cone Sign


1. Unfold is umbrella cone, 3 faces relective
2. Easy to carry when folded
3. Stable and durable

Reflective Cone Flags




Safety Vest and Series


Safety Vest




JC6301



JC6302



JC6303



JC6304

- These vests keep workers safe on the job and provide long-lasting use
- Features 100% polyester fabric and velcro closure
- CE EN471 Class 2 approved and available in orange and lime


Safety Coat/Pant




JC6307



JC6305



JC6308



JC6306

- Features 100% oxford fabric with PU coated
- Fully taped seams ensure waterproof protection and padding fixed quilted lining except JC-6306
- CE EN471 Class 2 approved and available in orange and lime

Model	Name	Size	Package
JC6301	Safety Vest	S-XXXL	100Pcs/CTN CTN Size: 42x28x50cm GW: 8.5kg NW: 7.5kg
JC6302	Safety Vest	S-XXXL	100Pcs/CTN CTN Size: 42x27x48cm GW: 14kg NW: 13kg
JC6303	Safety Vest	S-XXXL	100Pcs/CTN CTN Size: 42x27x48cm GW: 16kg NW: 15kg
JC6304	Safety Vest	S-XXXL	100Pcs/CTN CTN Size: 42x28x50cm GW: 8.5kg NW: 7.5kg
JC6305	Safety Coat	S-XXXL	10Pcs/CTN CTN Size: 70x47x30cm GW: 8kg NW: 7kg
JC6306	Safety Pant	S-XXXL	25Pcs/CTN CTN Size: 46x37x24cm GW: 11.2kg NW: 10.2kg
JC6307	Safety Coat	S-XXXL	10Pcs/CTN CTN Size: 65x42x38cm GW: 13kg NW: 12kg
JC6308	Safety Coat	S-XXXL	10Pcs/CTN CTN Size: 65x42x38cm GW: 13kg NW: 12kg

